

Greater Range of Embroidery Jobs, Now More Exciting

Expert Embroidery Machines

Accessory Guide

An extensive range of accessories is available to build up your skills, whether it's for fun or business.

Combine various accessories to suit any number of jobs, all with a single PR-Series unit.



















Entrepreneur Pro



10-Needle Home Embroidery Machine with built-in camera

Maximum sewing area: 360 × 360 mm (14 × 14 in)

¶ntrepreneur PR655



6-Needle Home Embroidery Machine with LED Positioning Marker

Maximum sewing area: 300 × 200 mm (12 × 8 in)

VR



1-Needle Home Embroidery Machine with LED Positioning Marker

Maximum sewing area: 200 × 200 mm (8 × 8 in)

PR-Series features

- Extensive range of accessories
- Portability
- LCD Screen
- Automatic needle threading
- Automatic frame detector

Embroider completed caps

Cap Frame

	PR1000e	PR655	VR
130 × 60 mm (5 × 2.4 in)	V	V	V





Set up the completed cap directly onto the machine



Stretch the cap over the frame



Embroider over a wider area

Embroider completed caps over a wider area


Wide Cap Frame

	PR1000e	PR655	VR
360 × 60 mm (14 × 2.4 in)	~		





Embroider right up to the edge



4 sections that embroidery can be applied



Wider area for embroidery designs

Embroider large designs by only framing once

Jumbo Frame

	PR1000e	PR655	VR
360 × 360 mm (14 × 14 in)	V		***************************************





Embroider half the design with the garment framed once



Rotate the frame when half the design is completed

Apply embroidery to shoes and other pieces that were previously difficult to embroider

Clamp Frame

	PR1000e	PR655	VR
45 × 24 mm (1.7 × 1 in)	V	V	V
L: 45 × 24 mm (1.7 × 1 in)	V	V	
R: 45 × 24 mm (1.7 × 1 in)	V	V	





Set-up larger shoes

Embroider the tongues of shoes





The VR is compatible with the straight type only

Embroider the collars of polo shirts

Embroidery is easy even for those parts that offer little stretch such as pockets

S Frame

	PR1000e	PR655	VR
38 × 44 mm (1.5 × 1.7 in)			V
41 × 70 mm (1.6 × 2.7 in)			V
33 × 75 mm (1.3 × 2.9 in)			V
50 × 50 mm (2 × 2 in)			/





Embroidery is possible even in small spaces such as pockets, and support for automatic frame detection ensures both safety and peace-of-mind

Ideal for embroidering continuous designs such as those on curtains and skirts

Border Frame

The second secon	THE RESERVE OF THE PARTY OF THE		
	PR1000e	PR655	VR
300 × 100 mm (12 × 4 in)	V	V	
180 × 100 mm (7 × 4 in)			✓







Remove the frame in one step

Simply slide the cloth and fit the frame



The VR offers a 180 × 100 mm sewing range

Ideal for embroidering cylindrical sections

Cylinder Frame

- 1				- TO THE P
	PR1000e	PR655	VR	
90 × 80 mm (3.5 × 3 in)	~	V	V	1







Easily embroider on shirt sleeves, trousers, bags and other similar shapes



Stretch the piece over the special frame




Embroider just around cuffs

Apply the frame over a specific area

Round Frame

	PR1000e PR655		VR
Ф100 mm (4 in) (dia)	V	V	
Ф130 mm (5 in) (dia)	V		~
Ф160 mm (6 in) (dia)	~	~	V







Easily adjust designs that need to be properly aligned

Square frame to suit quilt designs

Quilt Frame

	PR1000e	PR655	VR
200 × 200 mm (8 × 8 in)	/	~	









The square shape of the frame also makes it ideal for planning quilt designs

A square frame to make aligning quilt patterns and other embroidery positions

Excess cloth on larger pieces no longer gets in the way when applying embroidery

Flat Frame

	PR1000e	PR655	VR
300 × 200 mm (12 × 8 in)	✓	V	
200 × 200 mm (8 × 8 in)			V





Even large pieces of cloth can be released to the upper side of the arm

The VR offers a 200 × 200 mm sewing range

Cloth outside the frame is kept on top of the frame and out of the way

Easy-to-use stand with excellent storage capacity

Embroidery Stand

	PR1000e	PR655	VR
H: 700 to 1000 mm (27.5 to 40 in)			
W: 800 mm (31.5 in)	1		1
D : 590 mm (23 in)			





Tool attachments such as cap frames and cylindrical frames



Neatly stores frames and arms



Exclusive stand with plenty of storage for various accessories



Enough space to store the wide table

Embroidery Design Software.

PE-DESIGN 10

Expand your creative possibilities and streamline your design work with the new PE-Design 10 embroidery design software.

PE-Design 10 truly is the "Perfect 10" of embroidery software, with new and enhanced features for everyone – from the hobbyist to the home business entrepreneur.



Top 10 Features

- 1. USB-sized dongle
- 2. Improved platform and Embroidery Wizard
- 3. See thumbnails of your designs
- 4. Intelligent Colour Sort
- View fonts with names and find the ideal font with the new font filter.
- 6. Fabric Selector
- 7. Improved PhotoStitch quality
- 8. Patch Wizard
- 9. Improved Appliqué Wizard
- 10. Improved Split Stitch tool



Expand the creative embroidery options

4-Needle Cutwork Kit

PR1000e	PR655	VR

This 4-Needle Cutwork Kit upgrades both your PR machine, and your existing PE-Design software, giving you the ability to create and customise beautiful embroidery cutwork.



Enjoy three levels of functionality from basic to advanced

Basic cutwork

- embroider & cut the included designs

Intermediate cutwork

create appliqués from your own .pes files

Advanced cutwork

design, customise and digitise your own cutwork!



Main Specifications and Functions

•										
	PR1000e	PR655	VR							
Number of needles	10	6	1							
Speed adjustment (Stitch per minute)	Adjust individual needle speed from 400 to 1000 spm (Frames); 400 to 600 spm (Caps)									
Maximum sewing area	360 × 360 mm (Wide cap frame: 360 × 60 mm)	200 × 200 mm (Cap frame: 130 × 60 mm)								
(W × H)	14 × 14 in (Wide cap frame: 14 × 2.4 in)	12 × 8 in (Cap frame: 5 × 2.4 in)	8 × 8 in (Cap frame: 5 × 2.4 in)							
Maximum sewing area of included frames (W \times H)	360 × 200 mm 14 × 8 in	300 × 200 mm 12 × 8 in	200 × 200 mm 8 × 8 in							
LCD	WVGA 800 × 480 A	WVGA 800 × 480 TFT 260,000 colors								
USB	2 USB ports (2.0 & 1.1)/1 P	1 USB ports (2.0)/1 PC connection USB port (2.0)								
Built-in fonts	2	20								
Built-in designs	110	25	405							
Automatic needle threading	Yes	Yes	Yes							
Camera function	Yes	No	No							
Manual color sequence	Yes	No	No							
Sewing speed setting	Yes	No	No							
Single color sewing	Yes	Yes	Yes							
Color sort	No	No	Yes							
LED pointer	No	Yes	Yes							

SPM: Stitches per minute

PR Series Arm/Frame Compatibility

								Jacininty							
6		Model	PR1000e		PR655			VR							
		Arm	А	В	С	D	А	В	С	D	a	ь	С	d	е
Frame	Sewing area (mm)	Label sign	Α	В	C	D	Α	В	C	D	a	b	С	d	е
Tubular	60 × 40	(No label)	~				>				~				
	100 × 100	(No label)	>				>				>				
	180 × 130	(No label)	>				>				>				
	300 × 200	(No label)	/				>								
	360 × 200	(No label)	>												
Flat	300 × 200	(No label)	/				/								
Quilt	200 × 200	В		/				~							
Border	300 × 100	В		V				~							
Jumbo	360 × 360	В		V											
Round	Ф100	C			✓				~				/		
	Ф130	C			V				V				/		
	Ф160	C			~				~				/		
Clamp	45 × 24	D				\				\				/	
	L: 45 × 24	D				<				\					
	R: 45 × 24	D				\				>					
Tubular	200 × 200	a									/)		
Flat	200 × 200	a							/		/				
Border	180 × 100	b							9		T.	~			
s	38 × 44	е								6	7	Λ			✓
	41 × 70	е									1	11			V
	33 × 75	е								CO) //	//)			V
	50 × 50	е									1,0	>			V